

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2008; month=5; day=28; hr=11; min=59; sec=27; ms=100;]

=====

Application No: 10525838

Version No: 4.0

Input Set:**Output Set:****Started:** 2008-05-27 17:46:26.601**Finished:** 2008-05-27 17:46:30.634**Elapsed:** 0 hr(s) 0 min(s) 4 sec(s) 33 ms**Total Warnings:** 68**Total Errors:** 0**No. of SeqIDs Defined:** 68**Actual SeqID Count:** 68

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)
W 213	Artificial or Unknown found in <213> in SEQ ID (15)
W 213	Artificial or Unknown found in <213> in SEQ ID (16)
W 213	Artificial or Unknown found in <213> in SEQ ID (17)
W 213	Artificial or Unknown found in <213> in SEQ ID (18)
W 213	Artificial or Unknown found in <213> in SEQ ID (19)
W 213	Artificial or Unknown found in <213> in SEQ ID (20)

Input Set:

Output Set:

Started: 2008-05-27 17:46:26.601
Finished: 2008-05-27 17:46:30.634
Elapsed: 0 hr(s) 0 min(s) 4 sec(s) 33 ms
Total Warnings: 68
Total Errors: 0
No. of SeqIDs Defined: 68
Actual SeqID Count: 68

Error code

Error Description

This error has occurred more than 20 times, will not be displayed

SEQUENCE LISTING

<110> FUJII, Nobutaka
 TAMAMURA, Hirokazu
 HORI, Akira

<120> CXCR4 Antagonist and Uses Thereof

<130> Fujii-8

<140> 10525838
 <141> 2005-10-14

<150> PCT/JP2003/010753
 <151> 2003-08-26

<150> JP 2002-247843
 <151> 2002-08-27

<160> 68

<170> PatentIn version 3.3

<210> 1
 <211> 14
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa is Arg or Glu

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa is an aromatic amino acid residue

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
 <221> MISC_FEATURE

<222> (7)..(7)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

 <220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

 <220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Xaa is Arg, Glu, Lys or citrulline

<400> 1

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 2
 <211> 14
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa is Arg or Glu

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa is an aromatic amino acid residue

220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

 <220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

 <220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa is citrulline, Glu, Arg or Lys

 <220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Xaa is Arg, Glu, Lys or citrulline

 <400> 2

 Glu Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 3
 <211> 14
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE

<222> (1)..(1)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa is an aromatic amino acid residue

 <220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

 <220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

 <220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa is citrulline, Glu, Arg or Lys

 <220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Xaa is Arg, Glu, Lys or citrulline
 <400> 3

Xaa Glu Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 4
 <211> 14
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa is Arg or Glu

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa is an aromatic amino acid residue

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa is citrulline, Glu, Arg or Lys

<220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Xaa is Arg, Glu, Lys or citrulline

<400> 4

Xaa Xaa Xaa Cys Tyr Glu Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa

<210> 5
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Arg or Glu

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is an aromatic amino acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa is Arg or Glu

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline, Glu, Arg or Lys

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa is Arg, Glu, Lys or citrulline
<400> 5

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 6
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Arg or Glu

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is an aromatic amino acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline, Glu, Arg or Lys

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa is Arg, Glu, Lys or citrulline
<400> 6

Xaa Xaa Xaa Cys Tyr Xaa Xaa Glu Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 7
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Arg or Glu

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is an aromatic amino acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE

<222> (8)..(8)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa is Glu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline, Glu, Arg or Lys

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa is Arg, Glu, Lys or citrulline
<400> 7

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 8
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Arg or Glu

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is an aromatic amino acid residue

<220>

<221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

 <220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

 <220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa is citrulline, Glu, Arg or Lys

 <220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Xaa is Arg, Glu, Lys or citrulline
 <400> 8

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Glu Xaa Cys Xaa
 1 5 10

<210> 9
 <211> 14
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
 <221> MISC_FEATURE
 <222> (1)..(14)
 <223> L-amino acid or D-amino acid

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa is Arg or Glu

 <220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa is an aromatic amino acid residue

 <220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

 <220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

 <220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa is Glu, Arg or Lys

 <220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Xaa is Arg, Glu, Lys or citrulline
 <400> 9

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 10

<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (1)..(14)
<223> L-amino acid or D-amino acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Arg or Glu

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is an aromatic amino acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline, Glu, Arg or Lys

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa is Glu, Lys or citrulline

<400> 10

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 11
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 11

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 12
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is D-Citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 12

Arg Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 13
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is D-citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 13

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 14
<211> 14

<212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic

 <220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa is naphthyl-alanine

 <220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa is citrulline

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa can be Lys or D-Lys

 <220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa is citrulline

 <220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa is citrulline

 <400> 14

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Xaa Xaa Cys Arg
 1 5 10

<210> 15
 <211> 13
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic

 <220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa is naphthyl-alanine

 <220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> Xaa is citrulline

 <220>

<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be Lys or D-Lys

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<400> 15

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 16
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is D-citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 16
Xaa Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 17
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is D-citrulline

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 17

Arg Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Xaa Xaa Cys Arg
1 5 10

<210> 18
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is D-lysine

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa is citrulline

 <400> 18

 Xaa Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Xaa Xaa Cys Arg
 1 5 10

<210> 19
 <211> 14
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa is naphthyl-alanine

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa is citrulline

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa is D-citrulline

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa is citrulline

<400> 19

 Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
 1